

Technical Specifications

DIMENSIONS (APPROXIMATE):

HEIGHT: 1.600m (63")

LENGTH: 3.378m (133")

WIDTH: 1.854m (73")

TOWING HEIGHT: (Level) 420mm

UNLADEN WEIGHT: 460kg approx

LADEN WEIGHT: 2460kg Max

CHASSIS:

Constructed from 5mm pressed steel section fully welded with a 100 x 50 RSC 'A' frame drawbar and a front standplate.

AXLE:

Single solid beam axle fitted with 6 stud 205 pcd hubs.

WHEELS AND TYRES:

2 No. 10.75" x 15.3" flotation tyres on 6 stud 205 pcd rims.

COUPLING:

2" Forged solid ring eye.

TANK:

Polyethylene moulded tank, elliptical in section, with internal anti-surge baffle, 2" front draw off, 2 rear outlet connections, fitted with a 22" lockable outer hinged manlid cover, inner sealed vented manlid. Tank secured to chassis with 2 stainless steel straps.

ANCILLARY EQUIPMENT:

Front Screwjack.

FINISH:

Poly tank in yellow, green, blue or red (blue drinking water) chassis galvanised as standard.

DUST SUPPRESSION OPTIONS:

Gravity fed spray bar, spreader plate or rear spray bar.