S70 Skid-Steer Loader





The smallest loader in the Bobcat lineup, the S70 compact skid-steer loader makes quick work of big jobs in tight spaces.

- · Leading attachment versatility
- Great performance in a small package
- Efficient Tier 4 engine

Pay as low as 0% for up to 36 months* or choose a \$400 USD*/\$500 CAD* rebate on Bobcat S70 skid-steer loaders.

27

	Build & Quote
Contact Dealer	
<u>View Offers</u>	
Find Dealer	
Download Brochure	

S70 Overview

- The smallest loader in the Bobcat lineup, the agile Bobcat® S70 skid-steer loader is just 6-feet tall and 3-feet wide the ideal size for passing through narrow doorways, side yards, gates and other tight spaces.
- The S70 skid-steer (mini) loader is perfect for jobs that are too big for a shovel and in spaces too small for a larger machine.
- This small, but mighty machine is compatible with a wide variety of attachments including a snowblower, sweeper, nitrogen breaker, trencher, snow blade, soil conditioner and many more.

S70 Specs & Compare

Horsepower
17.5 kW
Rated Operating Capacity (ISO)
345 kg
Operating Weight
1312 kg
Auxiliary Std Flow
37.1 I/min
Joystick Control
Not Applicable
▲ Engine
S70
Emissions Tier (EPA)

27/05/2024, 10:13

7/05/2024, 10:13	S70 Skid-Steer Loader (Specs & Features) - Bobcat Company
Tier 4	
Engine Cooling	
Liquid	
Engine Fuel	
Diesel	
Horsepower	
17.5 kW	
Turbocharged Engine	
no	
Performance	
\$70	
Rated Operating Capacity (ISO)	
345 kg	
Tipping Load	
689 kg	
Operating Weight	
1312 kg	
Travel Speed	
10.1 km/h	
 Capacities 	
S70	
Fuel Tank	
24.61	
▲ Hydraulic System	
S70	
Auxiliary Std Flow	
37.1 l/min	
Dimension	
S70	
Length	
1920 mm	
Length without Attachment	
1920 mm	
Length with Standard Bucket	
2471 mm	
Width	
902 mm	
Width (with bucket)	
914 mm	
Height with Operator Cab 1814 mm	
Height to Bucket Hinge Pin	
2400 mm	

Reach @ Maximum Height
401 mm
Turning Radius
1491 mm
▲ Features
\$70
Joystick Control
Not Applicable
Air Conditioning
Not Applicable
Adjustable Seat
Standard
Backup Alarm

27/05/2024, 10:13

Standard	
BICS System (Interlock) Standard	
Cab Enclosure	
Optional	
Sound Option Optional	
Cab Heater	
Optional	
Operating Lights	
Standard	
Parking Brake	
Standard	
Radio	
Not Applicable	
Rear Window	
Standard	
Top Window	
Optional	
Lift-Arm Support	
Standard	
Seat Belt	
Standard	
Suspension Seat	
Standard	
Two Speed Travel	
Not Applicable	
Deluxe Instrumentation	
Not Applicable	
Engine Shutdown	
Not Applicable	
High Flow Option	
Not Applicable	
Auxiliary Hydraulics	
Standard	
Spark Arrestor Muffler	
Standard	
Bob-Tach Attachment System	
Standard	
Power Bob-Tach	
Not Applicable	
Ride Control	
Not Applicable	
Rear Hydraulics	
Not Applicable	


Standard

S70 Features & Benefits

Expand all 🝷

✓ Performance ¹⁵
Uptime Protection 7
- Comfort ⁸
- Serviceability 4
- Versatility 5

S70 Attachments





S70		S450		S510
Horsepower	23.5 hp	Horsepower	49 hp	Horsepower
Rated Operating Capacity (ISO)	760 lb	Rated Operating Capacity (ISO)	1370 lb	Rated Operating Capacity (ISO)
Operating Weight	2892 lb	Operating Weight	5370 lb	Operating Weight
View Model >		View Model >		View Model >

<u>View All Skid-Steer Loaders ></u>

**Offer ends 6/30/2024. Available at participating and eligible dealers only. Offer may vary by product type, series, model and select units in dealer's current inventory. Must take delivery from dealer stock by 6/30/2024. Offers available on new equipment in US and Canada only. Some restrictions apply. Length of contract and rate may vary. Monthly payment subject to change. Prior purchases not eligible. See dealer for details. Financing provided on approval of credit by authorized Bobcat finance providers to well-qualified buyers. All finance programs and rates are subject to final approval by the applicable Bobcat finance provider and are subject to change at any time without notice. Administrative fees may apply. Offer not available to government accounts, national accounts and municipal/utility bid customers. Bobcat Company reserves the right to extend or discontinue any of these programs at any time without prior notice.



WARNING: This product can expose you to chemicals including engine exhaust (including diesel engine exhaust when equipped), lead and lead compounds, mineral oils, soots, phthalates, and carbon monoxide which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.